

Safety Data Sheet - GHS

Arena® 50 WDG Insecticide

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Arena® 50 WDG Insecticide

PCPA REGISTRATION NUMBER: 29383
PRODUCT CODE: 61400
VC NUMBER(S): 1689, 1694
PRODUCT DESCRIPTION: Insecticide;

MANUFACTURER/DISTRIBUTOR

VALENT CANADA, INC. 6-130 Research Lane Guleph, Ontario N1G 5G3

EMERGENCY TELEPHONE NUMBERS

HEALTH EMERGENCY OR SPILL (24 hr): (800) 682-5368
TRANSPORTATION (24 hr.): CHEMTREC (800) 424-9300 or (202) 483-7616

PRODUCT INFORMATION

AGRICULTURAL PRODUCTS: (800) 682-5368

The current MSDS is available through our website or by calling the product information numbers listed above. (www.valent.ca)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION

- May cause moderate eye irritation
- · Harmful if swallowed, inhaled or absorbed through skin.
- · Avoid contact with eyes, skin and clothing.
- · Avoid breathing dust or spray mist
- · Toxic to aquatic invertebrates and bees.
- Keep out of reach of children

POTENTIAL HEALTH EFFECTS

Acute Toxicity (Primary Routes of Exposure): None known

Acute Eye Contact: This product may cause slight to moderate eye irritation. Adverse health effects resulting from an exposure may include redness, swelling and pain which could last for an extended period of time.

Acute Skin Contact: This product is minimally toxic when absorbed through the skin. This product can cause brief and/or minor irritation. The expected adverse health effects resulting from an exposure may include redness and possibly some minor swelling. This product is not expected to cause allergic skin reactions.

Acute Ingestion: This product is slightly toxic when ingested.

Acute Inhalation: This product is minimally toxic when inhaled. Exposure to high concentrations in the air may result in respiratory irritation. Signs and symptoms may include, but not be limited to, nasal discharge, sore throat, coughing and difficulty in breathing.

Chronic Toxicity (including cancer): The active ingredient did not cause cancer in long-term animal studies.

Developmental Toxicity (birth defects): Not considered a developmental hazard.

Reproductive Toxicity: Not considered a reproductive hazard.

Signs and Symptoms of Systemic Effects: No Data Available

Potentially Aggravated Medical Conditions: None known

For complete discussion of the toxicology data from which this evaluation was made, refer to Section 11. For Ecotox/Environmental Information, refer to Section 12. For Regulatory Information, refer to Section 15.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight/ Percent	Purpose
Clothianidin	210880-92-5	30 - 60	Active Ingredient
Kaolin clay	1332-58-7	NF	Carrier
Others	Various CAS#s	NF	Other Ingredients

4. FIRST AID MEASURES

EMERGENCY NUMBER (800) 682-5368

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **1-800-682-5368** for emergency medical treatment information.

EYE CONTACT:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN CONTACT:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person.

INHALATION:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN:

Treatment is supportive and symptomatic.

5. FIRE FIGHTING MEASURES

FLASH POINT: Not applicable

AUTOIGNITION: > 150° C (the technical material decomposes at 150° C)

Self-Ignition temperature: 208° C

EXTINGUISHING MEDIA: Dry chemical powder, carbon dioxide, foam. Unsuitable extinguishing media -

none known.

FLAMMABLE LIMITS IN AIR - LOWER (%):

FLAMMABLE LIMITS IN AIR - UPPER (%):

Not applicable
Not applicable

NFPA RATING:

Health: 1
Flammability: 0
Reactivity: 0
Special: None

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

FIRE FIGHTING INSTRUCTIONS: Products of combustion from fires involving this material may be toxic. Avoid breathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminate personal protective equipment and fire fighting equipment before reuse.

This material is combustible.

HAZARDOUS DECOMPOSITION PRODUCTS: May emit toxic gases and irritating fumes under fire conditions.

6. ACCIDENTAL RELEASE MEASURES

VALENT EMERGENCY PHONE NUMBER: (800) 682-5368 CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300

OBSERVE PRECAUTIONS IN SECTION 8: PERSONAL PROTECTION

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the **North American Emergency Response**Guidebook.

UN/NA NUMBER: Not applicable for EMERGENCY RESPONSE GUIDEBOOK NO.: Not applicable

road/rail transport

FOR SPILLS ON LAND:

CONTAINMENT: Reduce airbourne dust. Avoid runoff into storm sewers or other bodies of water.

CLEANUP: Clean up spill immediately. Vacuum or sweep up material and place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

FOR SPILLS IN WATER:

CONTAINMENT: This material will disperse or dissolve in water. Stop the source of the release. Contain and isolate to prevent further release into soil, surface water and ground water.

CLEANUP: Clean up spill immediately. Absorb spill with inert material. Remove contaminated water for treatment or disposal.

7. HANDLING AND STORAGE

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

HANDLING:

Use only in well ventilated areas. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

STORAGE:

Do not store near food or feed. Keep pesticide in original container only. Store in a cool, dry, secure place. Store in well ventilated area. Keep container tightly closed. Do not put concentrate into food or drink containers. Do not dilute concentrate in food or drink containers. Do not store or transport near food or feed. Not for use or storage in or around the home.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

EYES & FACE: Do not get this material in your eyes. Eye contact can be avoided by wearing protective eyewear.

RESPIRATORY PROTECTION: Use this material only in well ventilated areas. If operating conditions result in airborne concentrations of this material, the use of an approved respirator is recommended. In case of dust formation use a dust mask.

SKIN & HAND PROTECTION: Avoid contact with skin or clothing. Skin contact can be minimized by wearing protective clothing including gloves.

ENGINEERING CONTROLS: Use in a well ventilated area.

EXPOSURE LIMITS

Chemical Name	Canadian OELs		
Clothianidin	None		
Kaolin clay	None		
Others	None		

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: Granule

COLOR: Dark brown; Tan

ODOR: Glue, faint paint, very mild soap-like

FLASH POINT:

MELTING POINT:

BOILING POINT:

Not applicable

176.8° C (technical)

Not applicable

BULK DENSITY: 37.4 lb/cubic foot @ 20° C = 0.599 g/cubic centimeter

SPECIFIC GRAVITY: 1.61 (20° C, technical)

VAPOR PRESSURE: 1.3x10⁻¹⁰ Pa (25° C, techncial) **DISSOCIATION CONSTANT:** pKa 11.09 (20° C, technical)

pH: 6.4 @ 26 - 27° C (VC# 1689); 8-9 (VC# 1694)

CORROSION CHARACTERISTICS: No data available

OCTANOL/WATER PARTITION COEFFICIENT: log Pow=0.7 (25° C, technical)

SOLUBILITY: Dispersible in water

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable at 25°C for 4 months (pH 4 - 9). Stable at 40°C for

3 months.

INCOMPATIBILITY: None known OXIDATION/REDUCTION PROPERTIES: Not an oxidizer.

EXPLODABILITY: Not expected to be explosive

HAZARDOUS DECOMPOSITION PRODUCTS: May emit toxic gases and irritating fumes under fire

conditions.

MATERIALS TO AVOID:

CONDITIONS TO AVOID:

None known
High temperatures

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Oral Toxicity LD 50 (rats) 3,900 mg/kg (male) EPA Tox Category III

4,700 mg/kg (female)

Dermal Toxicity LD $_{50}$ (rats) > 5,000 mg/kg EPA Tox Category IV Inhalation Toxicity LC $_{50}$ (rats) > 2.3 mg/L EPA Tox Category IV Skin Irritation (rabbits) Moderately irritating EPA Tox Category IV Skin Irritation (rabbits) Slightly irritating EPA Tox Category IV

Skin Sensitization (guinea pigs)

Non-sensitizer

EPA Tox Category

Not applicable

CARCINOGEN CLASSIFICATION

Chemical Name	IARC - Group 1 (carcinogenic to humans)	IARC - Group 2A (Probably carcinogenic)	IARC - Group 2B (Possibly carcinogenic)	NTP Carcinogen List
Kaolin clay	No	No	No	Not listed
Clothianidin	No	Yes	No	Not listed
Others	No	No	No	Not listed

TOXICITY OF CLOTHIANIDIN TECHNICAL

SUBCHRONIC: The NOEL in a 3-month rat feeding study with Clothianidin Technical was 27.9 mg/kg/day (male) and 34.0 mg/kg/day (female) The NOEL in a 90-day dog feeding study was 19.3 mg/kg/day (male) and 21.2 mg/kg/day (female). In a subchronic dermal study with rats, the NOAEL is > 1,000 mg/kg/day.

CHRONIC/CARCINOGENICITY: The Clothianidin NOEL for a 2-year rat study was 9.7 mg/kg/day (female); for a 18-month mouse study was 47.2 mg/kg/day (male) and for a 12-month dog study was 7.8 mg/kg/day (male). The principal target organs were the glandular stomach, kidney, ovary, and liver. No oncogenic effects were observed in the 2-year rat or 18-month mouse feeding studies.

DEVELOPMENTAL TOXICITY: Transient developmental effects (delayed ossification) were observed in rabbits at maternally toxic doses (100 mg/kg/d). The technical material is fetotoxic in animal studies at maternally toxic doses. No teratogenic effects on rats or rabbits were observed.

REPRODUCTION: No reproductive effects were observed in rats at the highest dose tested (2500 ppm).

MUTAGENICITY: *In vivo* tests have demonstrated that the technical material is not mutagenic. Some *in-vitro* tests were positive for mutagenicity. The observed effects *in-vitro* were due to cytotoxic effects. The weight-of-evidence from the *in vivo* whole animal tests suggest that this product does not present a mutagenic hazard.

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 2. For information regarding regulations pertaining to this product, refer to Section 15.

12. ECOLOGICAL INFORMATION

AVIAN TOXICITY: The following results were obtained from studies with Clothianidin Technical:

LD 50 Japanese quail: = 430 mg/kg LD 50 Northern bobwhite: > 2000 mg/kg LC 50 Northern bobwhite: > 5200 ppm LC 50 Mallard duck: > 5200 ppm

AQUATIC ORGANISM TOXICITY: This product is toxic to aquatic invertebrates. The following are results from testing

of Clothianidin Technical:

Bluegill 96 hr. LC $_{50}$: > 120 mg/L Rainbow trout 96 hr. LC $_{50}$: > 100 mg/L Sheepshead minnow 96 hr. LC $_{50}$: > 100 mg/L

Water flea 48 hr. EC_{50} : 40 mg/L Mysid 96 hr. LC_{50} : = 0.053 mg/L Algae 72 hr. ErC_{50} : > 120 mg/L

Partition coefficient: log Pow=0.7 @ 25 C; Degradation in soil: DT 50: >140 days

OTHER NON-TARGET ORGANISM TOXICITY:

The following information is based on Clothianidin Technical: The following

information is based on Clothianidin Technical:

Honeybee 48-hour oral LD $_{50}$: = 0.0037ug (microgram)/bee Honeybee 48-hour contact LD $_{50}$: = 0.044 ug (microgram)/bee

Earthworm 7-day LC 50: = 19 mg/kg dry soil

OTHER ENVIRONMENTAL INFORMATION:

Apply this product only as specified on the label. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product allowing it to drift to blooming crops or weeds if bees are visiting the treatment area.

13. DISPOSAL CONSIDERATIONS

END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.

CONTAINER DISPOSAL:

DISPOSAL METHODS: Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For information on disposal of unused, unwanted product, contact the provincial regulatory agency or manufacturer. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

14. TRANSPORTATION INFORMATION

DOT (ground) SHIPPING NAME: Not regulated for domestic ground transport

EMERGENCY RESPONSE

GUIDEBOOK NO.:

Not applicable

ICAO/IATA SHIPPING NAME: UN 3077 Environmentally Hazardous Substance, Solid, N.O.S. (Clothianidin), 9,

III, Marine Pollutant

Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from **REMARKS:**

Dangerous Goods regulations -- see IATA Special Provision A197.

UN 3077 Environmentally Hazardous Substance, Solid, N.O.S. (Clothianidin), 9, **IMDG SHIPPING NAME:**

III. Marine Pollutant

REMARKS: Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from

Dangerous Goods regulations – see IMDG 2.10.2.7

EMS NO .:

15. **REGULATORY INFORMATION**

CANADIAN REGULATIONS:

WHMIS Hazard Class: Non-controlled

> This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all information required by the CPR.

Kaolin clay

Canada DSL Inventory List -Present **EINECS Inventory List -**Present

Canada NDSL Inventory List -Not listed/Not Determined

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

PESTICIDE REGULATIONS: All pesticides are governed under PCPA (Pest Control Products Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

PROVINCIAL REGULATIONS: This product did not trigger any provincial regulations.

16. OTHER INFORMATION

Review and update SDS. **REASON FOR ISSUE:**

SDS NO.: CAN-0277 **PCPA REGISTRATION NUMBER: 29383 REVISION NUMBER:**

REVISION DATE: 01/15/2016 **SUPERCEDES DATE:** January 11, 2013

RESPONSIBLE PERSON(S): Valent U.S.A. Corporation, Corporate EH&S, (925) 256-2803

CAN-0277 **Emergency Telephone:** SDS NO.: 800-682-5368 **REVISION NUMBER: REVISION DATE:** 01/15/2016

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the PMRA under the authority of the Pest Control Products Act through the product labeling. All necessary and appropriate precautionary, use, storage and disposal information is set forth on the labeling. It is a violation of Federal law to use a pesticide product in a manner not prescribed on the PMRA-accepted label.

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABEL (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use as required by the Occupational Health and Safety Act (29 CFR 1910.1200, "Hazcom").

The product label provides information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products is regulated by the EPA under the authority of FIFRA through the proudct label. All necessary hazard classification and appropriate precautionary use, storage, and disposal information is set forth on that label or labeling accompanying the pesticide or to which reference is made on the label. It is a violation of federal law to use an EPA-registered pesticide product in any manner inconsistent with its labeling.

2016 Valent Canada, Inc.

Emergency Telephone: REVISION NUMBER:

800-682-5368

SDS NO.: REVISION DATE: CAN-0277 01/15/2016