

# Safety Data Sheet

## Honor™ Fungicide

Revision date : 2023/03/11

Version: 4.0

Page: 1/14

(30471129/SDS\_CPA\_CA/EN)

### 1. Identification

#### Product identifier used on the label

## Honor™ Fungicide

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, fungicide

Unsuitable for use: Uses other than recommended

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF Canada Inc.  
5025 Creekbank Road  
Building A, Floor 2  
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

#### Emergency telephone number

##### 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

#### Other means of identification

Molecular formula: C<sub>18</sub> H<sub>12</sub> Cl<sub>2</sub> N<sub>2</sub> O ; C<sub>19</sub> H<sub>18</sub> Cl N<sub>3</sub> O<sub>4</sub>

PCP# 32329

Synonyms: pyraclostrobin + boscalid

### 2. Hazards Identification

#### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

#### Classification of the product

Acute Tox.

4 (oral)

Acute toxicity

# Safety Data Sheet

## Honor™ Fungicide

Revision date: 2023/03/11  
Version: 4.0

Page: 2/14  
(30471129/SDS\_CPA\_CA/EN)

STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic
Aquatic Acute	1	Hazardous to the aquatic environment - acute

### Label elements

Pictogram:



Signal Word:  
Warning

Hazard Statement:

H302	Harmful if swallowed.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P273	Avoid release to the environment.
P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing dust or fume.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P330	Rinse mouth
P391	Collect spillage.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

### Hazards not otherwise classified

Labeling of special preparations (GHS):

This product is not combustible in the form in which it is shipped by the manufacturer, but may form a combustible dust through downstream activities (e.g. grinding, pulverizing) that reduce its particle size.

---

## 3. Composition / Information on Ingredients

### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide

# Safety Data Sheet

## Honor™ Fungicide

Revision date: 2023/03/11  
Version: 4.0

Page: 3/14  
(30471129/SDS\_CPA\_CA/EN)

CAS Number: 188425-85-6  
Content (W/W): 11.2 %  
Synonym: 3-pyridinecarboxamide,2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)

### pyraclostrobin

CAS Number: 175013-18-0  
Content (W/W): 16.8 %  
Synonym: Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester

### Kaolin

CAS Number: 1332-58-7  
Content (W/W): <= 5.0%  
Synonym: No data available.

### Ammonium sulphate

CAS Number: 7783-20-2  
Content (W/W): 15.0 - 20.0%  
Synonym: Ammonium sulfate

### Silica gel, precipitated, crystalline free

CAS Number: 112926-00-8  
Content (W/W): 15.0 - 20.0%  
Synonym: Silica gel, precipitated, crystalline free

---

## 4. First-Aid Measures

### Description of first aid measures

#### General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin:

Wash thoroughly with soap and water

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

# Safety Data Sheet

## Honor™ Fungicide

Revision date: 2023/03/11  
Version: 4.0

Page: 4/14  
(30471129/SDS\_CPA\_CA/EN)

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

Suitable extinguishing media:  
dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons:  
carbon dioxide

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon monoxide, Hydrogen chloride, carbon dioxide, nitrogen oxides, halogenated compounds, sulfur oxides, silica compounds  
The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Wear self-contained breathing apparatus and chemical-protective clothing.

### Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

---

## 6. Accidental release measures

### Further accidental release measures:

Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Remove contaminated clothes, undergarments and shoes immediately.

### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

# Safety Data Sheet

## Honor™ Fungicide

Revision date: 2023/03/11  
Version: 4.0

Page: 5/14  
(30471129/SDS\_CPA\_CA/EN)

### Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Dispose of absorbed material in accordance with regulations.

---

## 7. Handling and Storage

### Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight. Keep in a cool, well-ventilated place.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

---

## 8. Exposure Controls/Personal Protection

**Users of a pesticidal product should refer to the product label for personal protective equipment requirements.**

### Components with occupational exposure limits

Kaolin	ACGIH, US:	TWA value 2 mg/m <sup>3</sup> Respirable fraction ; The value is for particulate matter containing no asbestos and <1% crystalline silica.
	OSHA Z1:	PEL 5 mg/m <sup>3</sup> Respirable fraction ;
	OSHA Z1:	PEL 15 mg/m <sup>3</sup> Total dust ;

# Safety Data Sheet

## Honor™ Fungicide

Revision date: 2023/03/11  
Version: 4.0

Page: 6/14  
(30471129/SDS\_CPA\_CA/EN)

Silica gel, precipitated, crystalline free	OSHA Z3:	TWA value 20 millions of particles per cubic foot of air ;
	OSHA Z3:	TWA value 0.8 mg/m <sup>3</sup> ; The exposure limit is calculated from the equation, 80mg/m <sup>3</sup> /(%SiO <sub>2</sub> ), using a value of 100% SiO <sub>2</sub> . Lower percentages of SiO <sub>2</sub> will yield higher exposure limits.
	ACGIH, US:	TWA value 3 mg/m <sup>3</sup> Respirable particles ;
	ACGIH, US:	TWA value 10 mg/m <sup>3</sup> Inhalable particles ;
	OSHA Z3:	TWA value 15 millions of particles per cubic foot of air Respirable fraction ;
	OSHA Z3:	TWA value 15 mg/m <sup>3</sup> Total dust ;
	OSHA Z3:	TWA value 50 millions of particles per cubic foot of air Total dust ;
	OSHA Z3:	TWA value 5 mg/m <sup>3</sup> Respirable fraction ;
Pyraclostrobin		TWA value 0.13 mg/m <sup>3</sup> ;
Boscalid		TWA value 0.248 mg/m <sup>3</sup> ;

### **Personal protective equipment**

#### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) particulate respirator.

#### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### **Eye protection:**

Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### **General safety and hygiene measures:**

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

---

## 9. Physical and Chemical Properties

Form:	solid, granules
Odour:	almost odourless
Odour threshold:	Not determined due to potential health hazard by inhalation.
Colour:	light brown
pH value:	approx. 5 - 7 ( 1 %(m), 25 °C)
Melting point:	The product has not been tested.
Flash point:	not applicable, the product is a solid

# Safety Data Sheet

## Honor™ Fungicide

Revision date: 2023/03/11  
Version: 4.0

Page: 7/14  
(30471129/SDS\_CPA\_CA/EN)

Flammability:	not highly flammable	(Directive 84/449/EEC, A.10)
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Bulk density:	approx. 558 kg/m <sup>3</sup> ( 24.6 °C)	
Vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Self-ignition temperature:	approx. 328 °C	(Directive 92/69/EEC, A.16)
Thermal decomposition:	230.6 °C, 84 kJ/kg Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Viscosity, dynamic:	not applicable, the product is a solid	
Solubility in water:	dispersible	
Evaporation rate:	not applicable	

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:  
not fire-propagating

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

### Incompatible materials

strong oxidizing agents, strong acids, strong bases

### Hazardous decomposition products

Decomposition products:

# Safety Data Sheet

## Honor™ Fungicide

Revision date: 2023/03/11  
Version: 4.0

Page: 8/14  
(30471129/SDS\_CPA\_CA/EN)

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:  
230.6 °C

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

#### Oral

Type of value: LD50  
Species: rat (female)  
Value: > 500 - < 2,000 mg/kg

#### Inhalation

Type of value: LC50  
Species: rat (male/female)  
Value: > 5.2 mg/l  
Exposure time: 4 h

#### Dermal

Type of value: LD50  
Species: rat (male/female)  
Value: > 2,000 mg/kg  
No mortality was observed.

#### Assessment other acute effects

Assessment of STOT single:  
Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

#### Skin

Species: rabbit  
Result: non-irritant

#### Eye

Species: rabbit



# Safety Data Sheet

## Honor™ Fungicide

Revision date: 2023/03/11  
Version: 4.0

Page: 9/14  
(30471129/SDS\_CPA\_CA/EN)

Result: non-irritant  
Method: OECD Guideline 405

### Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

modified Buehler test  
Species: rabbit  
Result: Non-sensitizing.  
Method: OECD Guideline 406

## Chronic Toxicity/Effects

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### *Information on: pyraclostrobin*

*Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.*

#### *Information on: Kaolin*

*Assessment of repeated dose toxicity: Repeated inhalative uptake of particles/dust reaching the alveoli may cause damage to the lungs.*

#### *Information on: Silica gel, precipitated, crystalline free*

*Assessment of repeated dose toxicity: The substance may cause damage to the lung after repeated inhalation of high doses.*

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

#### *Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*

*Assessment of carcinogenicity: In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.*

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

# Safety Data Sheet

## Honor™ Fungicide

Revision date: 2023/03/11  
Version: 4.0

Page: 10/14  
(30471129/SDS\_CPA\_CA/EN)

### Other Information

Misuse can be harmful to health.

## 12. Ecological Information

### Toxicity

#### Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Toxicity to fish

*Information on: pyraclostrobin*

LC50 (96 h) 0.00616 mg/l, *Oncorhynchus mykiss* (EPA 72-1, Flow through.)

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*

LC50 (96 h) approx. 2.7 mg/l, *Oncorhynchus mykiss*  
-----

#### Aquatic invertebrates

*Information on: pyraclostrobin*

EC50 (48 h) 0.0157 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*

EC50 (48 h) 5.33 mg/l, *Daphnia magna* (OECD Guideline 202, part 1)  
-----

#### Aquatic plants

*Information on: pyraclostrobin*

EC50 (72 h) > 0.843 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

EC10 (72 h) 0.078 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*

EC50 (96 h) 2.61 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

EC10 (72 h) 1.19 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)  
-----

#### Chronic toxicity to fish

*Information on: pyraclostrobin*

No observed effect concentration (98 d) approx. 0.00235 mg/l, *Oncorhynchus mykiss* (OECD Guideline 210, Flow through.)

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*

No observed effect concentration (97 d) 0.116 mg/l, *Oncorhynchus mykiss*  
-----

#### Chronic toxicity to aquatic invertebrates

# Safety Data Sheet

## Honor™ Fungicide

Revision date: 2023/03/11  
Version: 4.0

Page: 11/14  
(30471129/SDS\_CPA\_CA/EN)

*Information on: pyraclostrobin*

*No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)*

*The details of the toxic effect relate to the nominal concentration.*

*No observed effect concentration (28 d) 0.00128 mg/l, Mysidopsis bahia (OPP 72-4 (EPA-Guideline), Flow through.)*

*The statement of the toxic effect relates to the analytically determined concentration.*

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*

*No observed effect concentration (21 d) 0.8 mg/l, Daphnia magna*

### **Persistence and degradability**

#### Assessment biodegradation and elimination (H<sub>2</sub>O)

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Assessment biodegradation and elimination (H<sub>2</sub>O)

*Information on: pyraclostrobin*

*Not readily biodegradable (by OECD criteria).*

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*

*Not readily biodegradable (by OECD criteria).*

### **Bioaccumulative potential**

#### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Bioaccumulation potential

*Information on: pyraclostrobin*

*Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)*

*Accumulation in organisms is not to be expected.*

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*

*Bioconcentration factor: 57 - 70 (28 d), Oncorhynchus mykiss*

*Does not accumulate in organisms.*

### **Mobility in soil**

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: pyraclostrobin*

# Safety Data Sheet

## Honor™ Fungicide

Revision date: 2023/03/11  
Version: 4.0

Page: 12/14  
(30471129/SDS\_CPA\_CA/EN)

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

*Information on: boscalid (ISO); 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)-nicotinamide*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

### Additional information

Other ecotoxicological advice:  
Do not discharge product into the environment without control.

## 13. Disposal considerations

### Waste disposal of substance:

See product label for disposal and recycling instructions.

### Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

## 14. Transport Information

### Land transport

TDG

Not classified as a dangerous good under transport regulations

### Sea transport

IMDG

Hazard class:	9
Packing group:	III
ID number:	UN 3077
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains PYRACLOSTROBIN)

### Air transport

IATA/ICAO

Hazard class:	9
Packing group:	III
ID number:	UN 3077
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains PYRACLOSTROBIN)

### Further information

Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1. This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

# Safety Data Sheet

## Honor™ Fungicide

Revision date: 2023/03/11  
Version: 4.0

Page: 13/14  
(30471129/SDS\_CPA\_CA/EN)

---

### 15. Regulatory Information

#### Federal Regulations

##### **Registration status:**

Crop Protection    DSL, CA    released / exempt

#### **Labeling requirements under Pest Control Products Act**

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:



Warning: Poison

##### **WARNING:**

Contains the allergen sulfite(s).  
KEEP OUT OF REACH OF CHILDREN.  
HARMFUL IF SWALLOWED.  
Wash thoroughly after handling.

---

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

---

### 16. Other Information

#### **SDS Prepared by:**

BASF NA Product Regulations

# Safety Data Sheet

## Honor™ Fungicide

Revision date: 2023/03/11  
Version: 4.0

Page: 14/14  
(30471129/SDS\_CPA\_CA/EN)

---

SDS Prepared on: 2023/03/11

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

END OF DATA SHEET