

Plant-Prod MJ Boost 15-30-15

SECTION 1. IDENTIFICATION

Product Identifier Plant-Prod MJ Boost 15-30-15

Other Means of 12261, 12325, 12321

Identification

Product Family Plant-Prod MJ

Recommended Use Water Soluble Fertilizer for Plants.

Manufacturer/Supplier Master Plant-Prod Inc., 314 Orenda Rd., Brampton, Ontario, Canada, L6T 1G1, Canada

Identifier

Emergency Phone No. CANUTEC, 1-613-996-6666, 24 Hours

Date of Preparation June 28, 2017

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015).

Classification

Carcinogenicity - Category 2; Reproductive toxicity - Category 1

Label Elements



Signal Word:

Danger

Hazard Statement(s):

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

Precautionary Statement(s):

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

| Chemical Name | CAS No. | % | Other Identifiers | Other Names |
|---------------|---------|---|-------------------|-------------|
| | | | | |

Product Identifier: Plant-Prod MJ Boost 15-30-15 - Ver. 1 SDS No.: 0351

Date of Preparation: June 28, 2017

Date of Last Revision: August 07, 2019 Page 01 of 07

| Potassium nitrate | 7757-79-1 | 35 | |
|---------------------------------------|------------|-------|--|
| Urea | 57-13-6 | 11 | |
| Nitrilotriacetic acid, trisodium salt | 5064-31-3 | <0.2 | |
| Boric acid | 10043-35-3 | <0.15 | |

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. If breathing has stopped, trained personnel should begin rescue breathing. Call a Poison Centre or doctor. If ammonia gas is inhaled from heated fertilizer and breathing has stopped, begin artificial respiration.

Skin Contact

Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes. Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Call a Poison Centre or doctor if you feel unwell. Thermal burns require immediate medical attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for at least 30 minutes, while holding the eyelid(s) open. Immediately call a Poison Centre or doctor.

Ingestion

For large amounts immediately call a Poison Centre or doctor. Rinse mouth with water.

Most Important Symptoms and Effects, Acute and Delayed

May cause mild irritation.

Immediate Medical Attention and Special Treatment

Special Instructions

See first aid information above. Note to Physicians: Provide general supportive measures and treat symptomatically.

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use flooding quantities of water or other suitable extinguishing agent.

Unsuitable Extinguishing Media

DO NOT use water jet.

Specific Hazards Arising from the Product

Mild oxidizer. May intensify fire. If heated, could release ammonia gas.

Corrosive, flammable ammonia; corrosive, oxidizing nitrogen oxides; corrosive phosphorous oxides; very toxic carbon monoxide, carbon dioxide; extremely hazardous hydrogen cyanide.

Special Protective Equipment and Precautions for Fire-fighters

Wear SCBA and full protective clothing. Oxidizer. Prevent contact with flammable and combustible materials. Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet. Remove or isolate incompatible materials as well as other hazardous materials. Eliminate all ignition sources. Use grounded, explosion-proof equipment.

Product Identifier: Plant-Prod MJ Boost 15-30-15 - Ver. 1 SDS No.: 0351

Date of Preparation: June 28, 2017

Date of Last Revision: August 07, 2019 Page 02 of 07

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Contain the spill. Avoid contact with combustibles, organics and ignition sources. Sweep up spilled material and use or dispose of in approved manner.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid repeated or prolonged skin contact. Do not breathe in this product. Do not get in eyes. Avoid exposure during pregnancy and while nursing. Only use where there is adequate ventilation.

Conditions for Safe Storage

Store in an area that is: cool, dry, well-ventilated. Keep out of reach of children. Store in a closed container. Keep separate from acids, alkalis, reducing agents and combustibles.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

| | ACG | ACGIH TLV® | | OSHA PEL | | AIHA WEEL | |
|---------------------------------------|---------|------------|----------|----------|----------|-----------|--|
| Chemical Name | TWA | STEL | TWA | Ceiling | 8-hr TWA | TWA | |
| Potassium nitrate | 5 mg/m3 | | | | | | |
| Urea | | | | | 10 mg/m3 | | |
| Boric acid | 2 mg/m3 | 6 mg/m3 | | | | | |
| Nitrilotriacetic acid, trisodium salt | | | 15 mg/m3 | | | | |

Appropriate Engineering Controls

General ventilation is usually adequate. Use local exhaust ventilation and enclosure, if necessary, to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

When handling dry concentrated product: wear protective safety glasses. When handling diluted product: wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Use an appropriate NIOSH approved particulate respirator. Monitor dust levels within working area and ensure adequate ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance fine powder. Particle Size: Not available

Odour Slight ammonia odour

Odour Threshold Not applicable PH Not available

Melting Point/Freezing Point Not available (melting); Not available (freezing)

Initial Boiling Point/RangeNot applicableFlash PointNot applicableEvaporation RateNot availableFlammability (solid, gas)Will not burn.

Upper/Lower Flammability or Not available (upper); Not available (lower)

Product Identifier: Plant-Prod MJ Boost 15-30-15 - Ver. 1 SDS No.: 0351

Date of Preparation: June 28, 2017

Date of Last Revision: August 07, 2019 Page 03 of 07

Explosive Limit

Vapour Pressure Not available Vapour Density (air = 1) Not available

Relative Density (water = 1) 1.07

Solubility Not available in water

Partition Coefficient, Not available

n-Octanol/Water (Log Kow)

Auto-ignition TemperatureNot availableDecomposition TemperatureNot available

Viscosity Not available (kinematic); Not available (dynamic)

Other Information

Physical State Solid

Molecular FormulaNot applicableMolecular WeightNot available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use. May intensify fire.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Heat. Water, moisture or humidity. Open flames, sparks, static discharge, heat and other ignition sources.

Incompatible Materials

Strong acids, strong alkaloids, oxidizers, organics.

Hazardous Decomposition Products

Corrosive, flammable ammonia; corrosive, oxidizing nitrogen oxides; corrosive phosphorous oxides; very toxic carbon monoxide, carbon dioxide; extremely hazardous hydrogen cyanide.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

| Chemical Name | LC50 | LD50 (oral) | LD50 (dermal) |
|---------------------------------------|------|-------------------|-------------------|
| Potassium nitrate | | >2000 mg/kg (rat) | >5000 mg/kg (rat) |
| Urea | | 8471 mg/kg (rat) | |
| Boric acid | | 2660 mg/kg | |
| Nitrilotriacetic acid, trisodium salt | | 1740 mg/kg (rat) | |

Skin Corrosion/Irritation

Irritation could occur with prolonged exposure to dry fertilizer or fertilizer solution.

Serious Eye Damage/Irritation

Irritation or burn could occur if fertilizer solution is splashed in eyes or dry product contacted.

Product Identifier: Plant-Prod MJ Boost 15-30-15 - Ver. 1 SDS No.: 0351

Date of Preparation: June 28, 2017

Date of Last Revision: August 07, 2019 Page 04 of 07

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause nose and throat irritation, lung injury.

Skin Absorption

Not absorbed through skin.

Ingestion

If large amounts are swallowed symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information was located.

Respiratory and/or Skin Sensitization

Skin sensitizer.

Carcinogenicity

| Chemical Name | IARC | ACGIH® | NTP | OSHA |
|---------------------------------------|----------|------------|-----|------------|
| Boric acid | | A4 | | |
| Nitrilotriacetic acid, trisodium salt | Group 2B | Not Listed | | Not Listed |

Nitrilotriacetic Acid (NTA) and its salts were determined to be "possibly carcinogenic to humans by IARC, a compound which "may reasonably be anticipated to be a carcinogen" by NTP and a "select carcinogen" by OSHA.

Key to Abbreviations

ACGIH® = American Conference of Governmental Industrial Hygienists. IARC = International Agency for Research on Cancer. NTP = National Toxicology Program. OSHA = US Occupational Safety and Health Administration.

Reproductive Toxicity

Development of Offspring

Boric acid may cause birth defects, based on animal data.

Sexual Function and Fertility

Boric acid may impair male fertility, based on animal data.

Effects on or via Lactation

No information was located.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Acute Aquatic Toxicity

| Chemical Name | LC50 Fish | EC50 Crustacea | ErC50 Aquatic Plants | ErC50 Algae |
|-------------------|---------------------|---|----------------------|-------------|
| Potassium nitrate | 1378 mg/L (96-hour) | 490 mg/L (Daphnia magna (water flea); 24-hour) | | |
| Urea | | 3910 mg/L (Daphnia magna (water flea); 48-hour) | | |

Product Identifier: Plant-Prod MJ Boost 15-30-15 - Ver. 1 SDS No.: 0351

Date of Preparation: June 28, 2017

Date of Last Revision: August 07, 2019 Page 05 of 07

| Boric acid | 11100 mg/L | | |
|------------|------------------|--|--|
| | (Oncorhynchus | | |
| | mykiss (rainbow | | |
| | trout); 96-hour) | | |

Chronic Aquatic Toxicity

| NOEC Fish | EC50 Fish | NOEC Crustacea | EC50 Crustacea |
|-----------|-----------|---------------------|---|
| | | | 900 mg/L (Daphnia magna (water flea); 4.2 days) |
| | NOEC Fish | NOEC Fish EC50 Fish | NOEC Fish |

Persistence and Degradability

No information was located.

Bioaccumulative Potential

No information was located.

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Contact local environmental authorities for approved disposal or recycling methods in your jurisdiction.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations. Not regulated under US DOT Regulations. Not regulated under IATA Regulations.

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

SECTION 16. OTHER INFORMATION

SDS Prepared By MPPI Technical Department

Phone No. 905-793-8000

Date of Preparation June 28, 2017

Date of Last Revision August 07, 2019

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).

Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault

Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational Health and

Safety (CCOHS).

Disclaimer To the best of our knowledge, the information contained herein is accurate. However, neither

Master Plant-Prod Inc., nor any of its distributors, assumes any liability whatsoever for the

Product Identifier: Plant-Prod MJ Boost 15-30-15 - Ver. 1 SDS No.: 0351

Date of Preparation: June 28, 2017

Date of Last Revision: August 07, 2019 Page 06 of 07

accuracy or completeness of the information contained herein. Although certain hazards are described, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of any product is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Product Identifier: Plant-Prod MJ Boost 15-30-15 - Ver. 1

Date of Preparation: June 28, 2017

Date of Last Revision: August 07, 2019 Page 07 of 07

SDS No.: 0351

