

# ProScape®

## LEBANON



FERTILIZER

# 28-0-3

# MESA

PATENTED

### GUARANTEED ANALYSIS

Total Nitrogen (N) .....	28%
4.8 Ammoniacal Nitrogen	
1.2% Water Insoluble Nitrogen*	
17.0% Urea Nitrogen	
5.0% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	3%
Sulfur (S) .....	2.2%
2.2% Combined Sulfur (S)	
Iron (Fe) .....	3.0%
0.1% Water Soluble Iron (Fe)	

Derived From: Ammonium Sulfate, Biosolids, Methylene Ureas, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

\*6.2% Slowly available Nitrogen from Methylene Ureas and Biosolids.  
Chlorine (Cl) not more than .....

U.S.A

### GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) .....	28%
4.8 Ammoniacal Nitrogen	
1.2% Water Insoluble Nitrogen*	
17.0% Urea Nitrogen	
5.0% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	3%
Sulfur (S) .....	2.2%
2.2% Combined Sulfur (S)	
Iron (Fe) (actual) .....	3.0%
0.1% Water Soluble Iron (Fe)	

Chlorine (Cl) (maximum) .....

Derived From: Ammonium Sulfate, Biosolids, Methylene Ureas, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

\*6.2% Slowly available Nitrogen from Methylene Ureas and Biosolids.

CANADA

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates:  
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.2 lbs per 1,000 sq. ft. or 139 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.8 lbs per 1,000 sq. ft. or 78 lbs. per acre.

Spreader	0.9# N /1,000 sq. ft.	0.5# N /1,000 sq. ft.
Lebanon Turf	4 1/2	4
Andersons AccuPro	K	H
Earthway Rotary	15	14
Gandy	26	24
Lely	5 II	4 II
Lesco (letter/numeric)	I/17	G/15
PennMulch HVO	L	J
ProScape SS	L	J
Spyker	4 1/2	4
Vicon	24	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

### WARNING



**Hazard Statements**  
May be harmful if inhaled repeatedly over prolonged periods.  
Suspected of causing cancer by prolonged/repeated inhalation.  
Causes mild skin irritation.  
May cause eye irritation on contact.

**Precautionary Statements**  
Avoid breathing dust.  
Use appropriate personal protective equipment as required to avoid breathing dust.  
If exposed or concerned, seek medical advice.  
Wash hands and exposed skin thoroughly after handling.  
If skin irritation occurs: Wash with soap and water.  
If in eyes, rinse cautiously with water for several minutes.  
If eye irritation persists: seek medical attention.  
Keep out of reach of children.  
Dispose in accordance with all federal, state and local regulations.

### KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.  
Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.  
Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

### WARRANTY

NOTE: To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.


Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

Application Rates:  
To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.5 kg of product per 100 sq. meters.  
To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 0.8 kg of product per 100 sq. meters.

Spreader	0.43 kg N/100 m <sup>2</sup>	0.22 kg N/100 m <sup>2</sup>
Lebanon Turf	4 1/2	4
Andersons AccuPro	K	H
Earthway Rotary	15	14
Gandy	26	24
Lely	5 II	4 II
Lesco (letter/numeric)	I/17	G/15
PennMulch HVO	L	J
ProScape SS	L	J
Spyker	4 1/2	4
Vicon	24	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>



0 8 8 6 8 5 5 3 7 2 8 8  
F699 **22-53728** j/16



Manufactured by:  
**Lebanon Seaboard Corporation**  
1600 E. Cumberland St. • Lebanon, PA 17042  
800-233-0628 • (717) 273-1685

Made in the U.S.A.  
[www.LebanonTurf.com](http://www.LebanonTurf.com)

NET WEIGHT **50** LBS. (22.7 KG)



# FERTILIZER

# 28-0-3

# MESA

P A T E N T E D

### GUARANTEED ANALYSIS

Total Nitrogen (N) .....	28%
4.8 Ammoniacal Nitrogen	
1.2% Water Insoluble Nitrogen*	
17.0% Urea Nitrogen	
5.0% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	3%
Sulfur (S) .....	2.2%
2.2% Combined Sulfur (S)	
Iron (Fe) .....	3.0%
0.1% Water Soluble Iron (Fe)	

Derived From: Ammonium Sulfate, Biosolids, Methylene Ureas, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

\*6.2% Slowly available Nitrogen from Methylene Ureas and Biosolids.  
Chlorine (Cl) not more than ..... 3.0%

U.S.A

### GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) .....	28%
4.8 Ammoniacal Nitrogen	
1.2% Water Insoluble Nitrogen*	
17.0% Urea Nitrogen	
5.0% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	3%
Sulfur (S) .....	2.2%
2.2% Combined Sulfur (S)	
Iron (Fe) (actual) .....	3.0%
0.1% Water Soluble Iron (Fe)	

Chlorine (Cl) (maximum) ..... 3.0%

Derived From: Ammonium Sulfate, Biosolids, Methylene Ureas, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

\*6.2% Slowly available Nitrogen from Methylene Ureas and Biosolids.

CANADA

**NOTICE:** This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

#### Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.2 lbs per 1,000 sq. ft. or 139 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.8 lbs per 1,000 sq. ft. or 78 lbs. per acre.

#### SUGGESTED SPREADER SETTINGS

Spreader	0.9# N /1,000 sq. ft.	0.5# N /1,000 sq. ft.
Lebanon Turf	4½	4
Andersons AccuPro	K	H
Earthway Rotary	15	14
Gandy	26	24
Lely	5 II	4 II
Lesco (letter/numeric)	i/17	G/15
PennMulch HVO	L	J
ProScape SS	L	J
Spyker	4½	4
Vicon	24	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

#### WARNING



#### Hazard Statements

May be harmful if inhaled repeatedly over prolonged periods.  
Suspected of causing cancer by prolonged/repeated inhalation.  
Causes mild skin irritation.  
May cause eye irritation on contact

#### Precautionary Statements

Avoid breathing dust.  
Use appropriate personal protective equipment as required to avoid breathing dust.  
If exposed or concerned, seek medical advice.  
Wash hands and exposed skin thoroughly after handling.  
If skin irritation occurs: Wash with soap and water.  
If in eyes, rinse cautiously with water for several minutes.  
If eye irritation persists: seek medical attention.  
Keep out of reach of children.  
Dispose in accordance with all federal, state and local regulations.

**KEEP OUT OF REACH OF CHILDREN.**

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

#### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

#### Application Rates:

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.5 kg of product per 100 sq. meters.


To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 0.8 kg of product per 100 sq. meters.

#### SUGGESTED SPREADER SETTINGS

Spreader	0.43 kg N/100 m <sup>2</sup>	0.22 kg# N/100 m <sup>2</sup>
Lebanon Turf	4½	4
Andersons AccuPro	K	H
Earthway Rotary	15	14
Gandy	26	24
Lely	5 II	4 II
Lesco (letter/numeric)	i/17	G/15
PennMulch HVO	L	J
ProScape SS	L	J
Spyker	4½	4
Vicon	24	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>



F699

22-53728

j/16



**LebanonTurf**

Manufactured by:

**Lebanon Seaboard Corporation**

1600 E. Cumberland St. • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

Made in the U.S.A.

[www.LebanonTurf.com](http://www.LebanonTurf.com)

**NET WEIGHT 50 LBS. (22.7 KG)**