

Safety Data Sheet SaniDate[®]12.0 (Canada)

Revision Date: 5/6/2015 Supersedes: 12/2014

Section 1: Identification			
Product Name: SaniDate 12.0 (Canada)		Product Type/Description: Microbiocide	
Recommended Use/ Use Restrictions: For Industrial Use/ It is a violation		Other Means of Identification Hydrogen Peroxide, Hydrogen Dioxide,	
of federal law to use this product in a manner inconsistent with its		Hydrogen peroxide/ peroxyacetic acid solution	
labeling			
Manufacturer: BioSafe Systems LLC		Emergency Number: 800-424-9300 (CHEMTREC)	
	22 Meadow Street, East Hartford, CT 06108		
Telephone Number: (888-273-3088)			

Section 2: Hazard Identification

GHS Classification: (As Concentrate)

Oxidizing Liquid: Category 2 Organic Peroxide: Type F Corrosive to Metals: Category 1

Acute Toxicity (oral, dermal and inhalation): Category 4

Skin Corrosion: Category 1 Serious Eye Damage: Category 1

Specific Target Organ Toxicity (single exposure): Category 3 Hazardous to the Aquatic Environment – Acute Hazard:

Category 3

Hazard Statements: (As

Concentrate)

H272: May intensify fire; oxidizer

H242: Heating may cause fire **H290:** May be corrosive to metals

H302: Harmful if swallowed **H332:** Harmful if inhaled

H313: Causes severe skin burns and

eye damage

H335: May cause respiratory

irritation

H411: Harmful to aquatic life

Pictograms:







Signal Word: DANGER

Precautionary Statements:

General:

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P103: Read label before use.

Prevention:

P210: Keep away from heat, sparks or open flames, no smoking

P220: Store away from combustible materials

P221: Take any precautions to avoid mixing with combustibles

P234: Keep only in original container

P260: Do not breathe fumes, mist or vapors

P262: Do not get in eyes, on skin or on clothing

P264: Wash thoroughly after handling

P270: Do not eat, drink, or smoke when using this product.

P280: Wear protective gloves, clothing, eye protection, face protection

P271: Use only outdoors or in a well-ventilated area

Response:

P301+P330+P331: If SWALLOWED: Rinse mouth. Do not induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P310: Immediately call a POISON CENTER/doctor.

P321: For specific treatments see FIRST AID section on SDS or label **P370+P378:** In case of fire: Use water or other suitable extinguishing

media

P390: Absorb spillage to prevent material damage

Storage:

P405: Store locked up **P410:** Protect from sunlight

P411: Store at temperatures not exceeding 55°C (131°F)

P406: Store in corrosive resistant container, never use metal containers

P420: Store away from Incompatible materials

Disposal

P501_Dispose of contents/container in accordance with local/regional/national/international regulations

Other Information:

NFPA Rating Health – 2; Flammability – 0; Reactivity – 3 Special –OXY **HMIS Rating** Health – 2; Flammability 0; – Reactivity – 2; PPE – Required

Section 3: Composition/Information on Ingredients			
Components: Identifiers: % Concentration by Weight:			
Hydrogen Peroxide	7722-84-1	18.5%	
Peroxyacetic Acid	79-21-0	12.0%	
Acetic Acid	64-19-7	20%	



Safety Data Sheet SaniDate®12.0 (Canada)

Revision Date: 5/6/2015 Supersedes: 12/2014

	Section 4: First-aid Measures
Eye Contact:	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin Contact:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.
Ingestion	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Inhalation:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call poison control center or doctor for treatment advice.
Note to Physician:	Probable mucosal damage may contraindicate the use of gastric lavage.

Section 5: Fire-fighting Measures		
Suitable Extinguishing Media:	Product is not flammable and can be quickly diluted with clean water. Oxidizing Agent may cause spontaneous ignition	
	with oxidizing agents	
Unsuitable Extinguishing Media: None Known		
Combustion Products:	Carbon Oxides	
Unusual Fire and Explosion Hazards:	Product (concentrate) can decompose and will release oxygen thereby adding to the fire hazard. Oxidizing Agent, may	
_	cause spontaneous ignition with other oxidizing agents	
Protective Equipment for	Use PPE equipment	
Firefighters:		

Section 6: Accidental Release Measures		
Personal Precautions:	Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid	
	inhalation, ingestion and contact with skin and eyes	
Emergency Procedures	Ensure clean-up is conducted by trained personnel. Personnel should wear protective equipment outlined in Sections 7 &	
	8. If facing concentrations above exposure limits personnel shall wear certified respirators	
Environmental Precautions	Prevent spill from entering waterways	
Methods and Material for	Cleanup: Rinse small amounts to drain when possible. Dike or dam large spills, pump to containers or soak in inert	
Containment and Cleaning up	absorbent. Flush residue to sanitary sewer, rinse area thoroughly with clean water. Avoid materials that are incompatible	
	with concentrate. Waste Disposal: Consult state and local authorities for restrictions on disposal of chemical wastes.	
	Unused product (concentrate) is classified as a (D002) by RCRA criteria.	

	Section 7: Handling and Storage
Handling:	Wear protective gloves/eye protection/face protection Do not eat, drink, or smoke when using this product. Wash thoroughly after
	handling Avoid breathing fumes/mist/vapors. Use only outdoors or in a well-ventilated area
Storage:	Keep away from heat. Keep only in original container. Protect from sunlight. Store at temperatures not exceeding 55°C (131°F). Never
	return product back to the original container. Store in cool, ventilated area. Never use metal containers or spigots. Use vented container
Incompatible Materials:	Store away from combustible materials. Keep concentrate away from reactive substances

Section 8: Exposure Controls/Personal Protection				
Components wit	Components with workplace control parameters			
Component		ACGIH	NIOSH	OSHA
Acetic Acid		TWA 10 ppm	TWA: 25 mg/m ³ - 8 hours. TWA: 10 ppm- 8 hours.	TWA: 25 mg/m³- 8 hours. TWA: 10 ppm- 8 hours.
Hydrogen Peroxide		TWA 1 ppm	TWA: 1.4 mg/m³- 8 hours. TWA: 1 ppm- 8 hours.	TWA: 1.4 mg/m³- 8 hours. TWA: 1 ppm- 8 hours.
Engineer	Engineering Controls Effective exhaust ventilation system			
	Respiratory	NIOSH approved full-face respirator for excessive conditions		
Personal	Eye/Face Protection	- chemical proof goggles/face shield for splash risk		
Protection	Hands	Hand gloves for handling concentrate = butyl rubber		
Equipment	Skin/Body	coveralls when handling concentrate		
	General Hygienic Practices	Do not eat, drink, or smoke when using this product. Wash thoroughly after handling Avoid breathing fumes/mist/vapors. Remove and wash contaminated clothing before reuse		



Safety Data Sheet SaniDate®12.0 (Canada)

Revision Date: 5/6/2015 Supersedes: 12/2014

Section 9: Physical and Chemical Properties		
Appearance: Clear, colorless liquid	Odor: Pungent	pH: 1.56
Melting Point: no data available Freezing Point: -30°C (-22°F)		Boiling Point: N/A; product decomposes
Flash Point: no data available	Flammability: non flammable	Flammable Limits: no data available
Vapor Pressure: no data available	Specific Gravity: 1.11 g/cm ³ (9.29 lbs/gal) at 24 °C	Solubility (ies): Complete
Partition Coefficient n- octanol/water:	Auto-ignition Temperature:	Decomposition Temperature:
no data available	no data available	self-accelerating decomposition temperature > 55°

Section 10: Stability and Reactivity		
Stability:	Stable under normal conditions, with slow oxygen release	
Conditions to Avoid	Heat / Direct Sunlight /water/moisture, contact with combustible materials	
Incompatible materials	Acids /Bases / Reducing Agents Organic Materials / Metals / Salts of Metals	
Hazardous Decomposition	N/A	
Products		

Section 11: Toxicological Information		
Acute Toxicological Data:	Oral: LD50 rat 652 mg/kg (12% solution)	Dermal: LD50 rabbit, 1957 mg/kg (12% solution
Inhalation: LD 50: 1 h., rat 590 mg/kg (5% solution)	Skin irritation: >0.12% solution, irritating effect	Eye irritation: rabbit, severely irritating
Likely Routes of Exposure: Inhalation, eye contact,	skin contact	
Symptoms and effects:	Acute Effects	
Eye Contact Causes serious eye damage		
Skin Contact	Causes severe skin burns	
Inhalation	May cause respiratory track irritation	
Ingestion	n Harmful if swallowed	
Chronic exposure:	Chronic exposure: Dermal and inhalation – irritating effects	

Section 12: Ecological Information		
Ecotoxicity	Toxic to simple cell and aquatic organisms. Danger to the environment limited; due to product properties	
Persistence and degradability	Weak persistence of degradation products	
Bioaccumulation potential No bioaccumulation		
Mobility is Soil Non-significant adsorption Soil degradation = 99% in 20 minutes		
Other adverse effects	N/A	

Section 13: Disposal Considerations		
Waste From Residues and Unused Product	Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.	
Open dumping is prohibited. If wastes cannot be disposed of according to label directions, contact your State		
Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Region		
Office for guidance.		
Contaminated Container Disposal Do not reuse or refill this container. Triple Rinse empty containers with clean water. Clean and empty containers with clean water.		
_	are to be recycled or placed in the trash.	

Section 14: Transport Information								
	UN Number	UN Proper Shipping Name	Hazard Class (Subsidiary)	Label (Subsidiary)	Packing Group	Marine Pollutant		
US DOT	3109	Organic Peroxide type F, liquid Peroxyacetic acid or peracetic acid (with not more than 26% hydrogen peroxide	5.2(8)	Organic Peroxide (Corrosive)	II	NO		
CA TDG	3109	Organic Peroxide type F, liquid Peroxyacetic acid or peracetic acid (with not more than 26% hydrogen peroxide	5.2(8)	Organic Peroxide (Corrosive)	II	NO		
Special Precautions: Shipping Container: UN Certified vented polyethylene								



Safety Data Sheet SaniDate®12.0 (Canada)

Revision Date: 5/6/2015 Supersedes: 12/2014

Section 15: Regulatory Information								
TSCA Inventory List:	Yes	US EPA CERCLA Hazardous Substances: Acetic Acid 5000 lbs						
SARA Title III Section Substance: Peroxyacetic	302/303 Extremely Hazardous acid	EHS RQ: Peroxyacetic Acid 500 lbs	TPQ: Peroxyacetic Acid 500 lbs					
SARA Title III Sec. 311	/312: Peroxyacetic acid	Hazard category: Acute Health Hazard Reactivity Hazard, Fire Hazard						
US. EPA EPCRA Secti	on 313 listed: Peroxyacetic acid	Threshold quantity (processed or manufactured): 10,000 lbs	Threshold quantity (otherwise used): 25,0000 lbs					
Canadian WHIMIS Classification	C – Oxidizing E – Corrosive F – Dangerously Reactive							
California Prop 65	This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.							
CFIA	This product is subject to the Canadian Food Inspection Agency regulations and labeling requirements These requirements may differ from the classification criteria and hazard information required for a safety data sheet under the Global Harmonized Systems (GHS), and for workplace labels of non-pesticide chemicals. It is a violation to use this product in a manner inconsistent with its labeling. Always refer to product label for further precautionary information and use directions.							

Section 16: Other Information

To the extent of our knowledge, the information herein is accurate as of the date of this document. However, neither BioSafe Systems nor any of it's affiliates make any warranty, expressed or implied, or accept any liability in connection with the information or its use. The information is for use by technically skilled persons at their own discretions and risk. This is not a license or a patent. The user alone must finally determine suitability of any information or material for any contemplated use, the manner or use and whether any patents are infringed.

Bi⇔Safe Systems

For additional information on SaniDate 12.0 (Canada), call us toll-free at 1.888.273.3088 or visit www.biosafesystems.com. ©2015 Copyright BioSafe Systems, LLC. Peroxyacetic acid or peracetic acid (with not more than 26% hydrogen peroxide SaniDate 12.0 (Canada) is a registered trademark of BioSafe Systems, LLC. Always read and follow label directions.

Issuing Date: 3/7/15 Revision Number: r1