

Safety Data Sheet 80311

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : Turf Pride Marking Foam

Product code : 80311

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Plant Products. A division of MGS Horticulture Leamington, Ontario, N8H 3W1 - Canada

T 1-519-326-9037

1.4. Emergency telephone number

Emergency number : 1-800-424-9300

ChemTrec

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin corrosion/irritation. H315

Category 2

Full text of H statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US)



Causes skin irritation.

Signal word (GHS US) : Warning

Hazard statements (GHS US) : H315 - Causes skin irritation.

Precautionary statements (GHS US) : P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective clothing, eye protection, face protection.

P302+P352 - If on skin: Wash with plenty of water/...

P321 - Specific treatment (see supplemental first aid instruction on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
butyl glycolether	(CAS-No.) 111-76-2	1 - 10	Flam. Liq. 4, H227 Acute Tox. 3 (Dermal), H311
ethanol, conc=90%, aqueous solution	(CAS-No.) 64-17-5	1 - 10	Flam. Liq. 2, H225 Carc. 1A, H350

04/28/2020 EN (English) SDS ID: 80311 Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and

: Based on available data, the classification criteria are not met.

symptoms
Symptoms/effects

: Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Keep away from

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

04/28/2020 EN (English) SDS ID: 80311 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautions for safe handling : Was

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking.

. .

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep only in original container in a cool well ventilated area. Keep container closed when not in

use. Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use. Keep in fireproof place.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Storage temperature : 25 (5 - 42) °C DO NOT FREEZE

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

butyl glycolether (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm (2-Butoxyethanol (EGBE); USA; Time- weighted average exposure limit 8 h; TLV - Adopted Value)
ethanol, conc=90%, aqueous solution (64-17-5)		
Not applicable		

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colorless

Odour : Characteristic odour Odour threshold : No data available

pH : 7-9

Melting point : No data available

Freezing point : $<= 0 \, ^{\circ}\text{C}$ Boiling point : $>= 100 \, ^{\circ}\text{C}$

Flash point : 75 °C Approximate
Relative evaporation rate (butylacetate=1) : No data available
Flammability (solid, gas) : Combustible liquid.
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

04/28/2020 EN (English) SDS ID: 80311 3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density : No data available

Density : 1.01

Solubility : Soluble in water. Log Pow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic Explosive limits : No data available : No data available Explosive properties Oxidising properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Do not mix with disinfectants or bleach. Combustible liquid. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

butyl glycolether (111-76-2)	
LD50 dermal rat	> 2000 mg/kg bodyweight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	435 mg/kg bodyweight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
LC50 inhalation rat (mg/l)	2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value)
LC50 inhalation rat (ppm)	450-486,Rat; Weight of evidence
ATE US (dermal)	435 mg/kg bodyweight
ATE US (vapours)	2.17 mg/l/4h
ATE US (dust,mist)	2.17 mg/l/4h

ethanol, conc=90%, aqueous solution (64-17-5)	
LD50 oral rat	> 5000 mg/kg (Rat)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 20 mg/l/4h (Rat)

Skin corrosion/irritation : Causes skin irritation.

pH: 7 - 9

Serious eye damage/irritation : Not classified

pH: 7 - 9

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified

04/28/2020 EN (English) SDS ID: 80311 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carcinogenicity : Not classified.

butyl glycolether (111-76-2)

IARC group 3 - Not classifiable

ethanol, conc=90%, aqueous solution (64-17-5)

IARC group 1 - Carcinogenic to humans

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Readily biodegradable 28 days.

ethanol, conc=90%, aqueous solution (64-17-5)		
EC50 Daphnia 1	9300 mg/l (EC50; 48 h)	
LC50 fish 2	13000 mg/l (LC50; 96 h)	

12.2. Persistence and degradability

Turf Pride Marking Foam		
Persistence and degradability	Biodegradable in the soil. Not established.	
butyl glycolether (111-76-2)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.	
Biochemical oxygen demand (BOD)	0.71 g O₂/g substance	
Chemical oxygen demand (COD)	2.2 g O₂/g substance	
ThOD	2.305 g O₂/g substance	
BOD (% of ThOD)	0.31	

ethanol, conc=90%, aqueous solution (64-17-5)		
Persistence and degradability	Readily biodegradable in water. No (test)data on mobility of the components available.	
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O₂/g substance	
Chemical oxygen demand (COD)	1.7 g O₂/g substance	
ThOD	2.1 g O₂/g substance	
BOD (% of ThOD)	0.43	

12.3. Bioaccumulative potential

Turf Pride Marking Foam			
Bioaccumulative potential	Not bioaccumulative. Not established.		
butyl glycolether (111-76-2)	butyl glycolether (111-76-2)		
Log Pow	0.81 (Experimental value; BASF test; 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
ethanol, conc=90%, aqueous solution (64-17-5)			
Log Pow	-0.32		
Bioaccumulative potential	Bioaccumulation: not applicable.		

12.4. Mobility in soil

Turf Pride Marking Foam	
Ecology - soil	Not toxic to animals. Not toxic to plants.

04/28/2020 EN (English) SDS ID: 80311 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

butyl glycolether (111-76-2)	
Surface tension	0.027 N/m (25 °C)

12.5. Other adverse effects

Other information : No other effects known. Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Biodegradable. Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

butyl glycolether (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

ethanol, conc=90%, aqueous solution (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

ethanol, conc=90%, aqueous solution (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

04/28/2020 EN (English) SDS ID: 80311 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
butyl glycolether(111-76-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
ethanol, conc=90%, aqueous solution(64-17-5)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information : None.

Full text of H-statements:

H225	Highly flammable liquid and vapour.
H227	Combustible liquid
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H350	May cause cancer.

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause

significant irritation.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can

occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.

NFPA specific hazard : None

Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection None

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

04/28/2020 EN (English) SDS ID: 80311 7/7