

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

- 1.1 **PRODUCT IDENTIFIER:**
TRADE NAME: LI 700® WITH LECI-TECH®
- 1.2 **RECOMMENDED USE:** PENETRANT – ACIDIFIER – DEPOSITION AID – DRIFT CONTROL AGENT
- 1.3 **SUPPLIER DETAILS:**
 LOVELAND PRODUCTS, INC.
 P.O. Box 1286 • Greeley, CO 80632-1286
- 1.4 **24-Hour Emergency Phone:** 1-800-424-9300 - **Medical Emergencies:** 1-866-944-8565 - **Product Information:** 1-888-574-2878 (LPI-CUST)
U.S. Coast Guard National Response Center: 1-800-424-8802

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200

Acute Toxicity - Inhalation	Category 4	H332
Skin Corrosion/Irritation	Category 1	H314

2.2 Label elements



Signal word: DANGER
 Hazard Statement: H314 – Causes severe skin burns and eye damage.
 H332 – Harmful if inhaled.

Precautionary Statement: (Prevention): P261 – Avoid breathing dust/fume/gas/mist/vapors/spray
 P264 – Wash hands thoroughly after handling.
 P273 – Avoid release to the environment
 P280 – Wear protective gloves and eye / face protection
 P337+P313 – If eye irritation persists: get medical attention
 Precautionary Statement: (Response): P305+P351+P338 – IF IN EYES: Rinse with water for 15 to 20 minutes. Remove contact lenses, if present, and continue rinsing eyes.
 P302+P352 – IF ON SKIN: Wash with plenty of water for 15 to 20 minutes

2.3 Other hazards
 None known



SAFETY DATA SHEET

SDS NUMBER: 100009654-15-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 06/19/15

LI 700®
SUPERSEDES: 07/07/14

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

Classification according to 29 CFR 1910.1200

Chemical Name:	CAS No.	Classification	Concentration [%]
Methylacetic acid, and Phosphatidylcholine, alkyl polyoxyethylene ether Other ingredients	79-09-4	Inh., 4; H332 Skin Corr./Irrit.; 1,H314	80.00 20.00

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

- Eye contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Ingestion:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.
- Inhalation:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Irreversible eye damage. Skin burns.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565

Take container, label or product name with you when seeking medical attention.

NOTES TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Dry chemical, carbon dioxide (CO₂), alcohol foam, foam, water spray or fog. Do not use water jet as this will spread the fire.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: During a fire, hazardous by-products can be released.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



SAFETY DATA SHEET

SDS NUMBER: 1000009654-15-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 06/19/15

LI 700®

SUPERSEDES: 07/07/14

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapors and spray mist and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to Remove residual contamination. Never return spills to original containers for re-use.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Avoid inhalation of mists, vapors / spray and contact with eyes, skin and clothing. Do not breathe mists or vapor. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Suggested storage above 40°F / 4.4°C. If frozen, warm product before use. Store in cool, dry place. Store in original container. Keep tightly closed. Do not reuse empty container. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS

U.S. Workplace Exposure Level (ACGIH) Guides

Components	Type	Value
Propionic acid	TWA	10 ppm

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Specimen
No listings		

8.2 EXPOSURE CONTROLS:

Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

Eye / Face Protection: Goggles or shielded safety glasses are recommended.

Skin Protection: Coveralls worn over long-sleeved shirt and long pants. Chemical-resistant gloves. Chemical-resistant footwear plus socks.

Respiratory Protection: In case of inadequate ventilation or risk of inhalation of mists or vapors, use suitable respiratory equipment such as MSHA/NIOSH TC-21C or NIOSH approved respirator with N, R, P or HE filter. Wear respiratory protection during operations where spraying or misting occurs. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.



SAFETY DATA SHEET

SDS NUMBER: 100009654-15-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 06/19/15

LI 700®

SUPERSEDES: 07/07/14

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 APPEARANCE :** Liquid
ODOR: Pungent.
ODOR THRESHOLD: No data available.
COLOR: Dark brown.
pH: 3.6 (1% solution)
MELTING POINT / FREEZING POINT: No data available
BOILING POINT: No data available
FLASH POINT: >212°F (100°C) / TCC
FLAMMABILITY (solid, gas): No data available.
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: No data available.
VAPOR PRESSURE: No data available.
SOLUBILITY: Soluble
PARTITION CO-EFFICIENT, n-OCTANOL / WATER: No data available.
AUTO-IGNITION TEMPERATURE: No data available.
DECOMPOSITION TEMPERATURE: No data available
VISCOSITY, dynamic: No data available
SPECIFIC GRAVITY (Water = 1): 1.035 g/ml
DENSITY: 8.64 lbs./gal / 1.04 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample.
Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

- 10.1 REACTIVITY**
Stable
- 10.2 CHEMICAL STABILITY**
Stable under normal temperature conditions
- 10.3 POSSIBILITY OF HAZARDOUS REACTIONS**
No reactions known under normal use conditions. Will not polymerize.
- 10.4 CONDITIONS TO AVOID**
High alkaline conditions.
- 10.5 INCOMPATIBLE MATERIALS**
Strong oxidizers.
- 10.6 HAZARDOUS DECOMPOSITION PRODUCTS**
None known.

11. TOXICOLOGICAL INFORMATION

- 11.1 LIKELY ROUTES OF EXPOSURE**
Eye contact, skin contact.
LC₅₀ (rat) >6.04 mg/L 4hr. OECD Test Guideline 403
LD₅₀ Oral (male rat): >5,000 mg/kg
LD₅₀ Dermal (rabbit): >5,000 mg/kg
Acute Toxicity Estimates: No data available
Skin Irritation (rabbit): Severe irritant; causes skin burns
Eye Irritation (rabbit): Irreversible eye damage
Specific Target Organ Toxicity: Single exposure: No data available.
Aspiration: No data available
Skin Sensitization (guinea pig): Not a sensitizer
Carcinogenicity: No data available
Germ Cell Mutagenicity: No data available
Interactive Effects: None known



SAFETY DATA SHEET

SDS NUMBER: 100009654-15-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 06/19/15

LI 700®

SUPERSEDES: 07/07/14

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. This product is not intended for use in aquatic settings.

Ecotoxicological Data

	Species	Test Results
Product		
96-hour LC ₅₀	Oncorhynchus mykiss	130 mg/L
96-hr NOEC	Oncorhynchus mykiss	<100 mg/L
96-hour LC ₅₀	Lepomis macrochirus	210 mg/L
96-hr NOEC	Lepomis macrochirus	100 mg/L
48-hour EC ₅₀	Daphnia Magna	190 mg/L
48-hour NOEC	Daphnia Magna	100 mg/L

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY IN SOIL

No data available.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at <http://www.acrcycle.org/>. Do not contaminate water, food or feed by storage or disposal.

14. TRANSPORT INFORMATION

14.1 LAND TRANSPORT

DOT Shipping Description: NOT REGULATED.

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS 60)



SAFETY DATA SHEET

SDS NUMBER: 100009654-15-LPI

SDS REVISIONS: SEC. 2

DATE OF ISSUE: 06/19/15

LI 700®

SUPERSEDES: 07/07/14

15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA & HMIS Hazard Ratings:

NFPA

2	Health	0	Least
1	Flammability	1	Slight
0	Instability	2	Moderate
		3	High
		4	Severe

HMIS

2	Health
1	Flammability
0	Reactivity
X	PPE

SARA Hazard Notification/Reporting

SARA Title III Hazard Category:

Immediate	<u>Y</u>	Fire	<u>N</u>	Sudden Release of Pressure	<u>N</u>
Delayed	<u>N</u>	Reactive	<u>N</u>		

Reportable Quantity (RQ) under U.S. CERCLA: Propionic Acid (CAS: 79-09-4) 5,000 pounds.

SARA, Title III, Section 313: Not listed

RCRA Waste Code: Not listed

CA Proposition 65: Not applicable

16. OTHER INFORMATION

SDS STATUS: Section 2 revised.

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

CA Reg. No. 34704-50035

WA Reg. no. 34704-04007

®LI 700 and ®Leci-Tech are registered trademarks of Loveland Products, Inc.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.