

Safety Data Sheet

Merivon® Fungicide

Revision date : 2018/12/06

Version: 2.0

Page: 1/10

(30765395/SDS_CPA_CA/EN)

1. Identification

Product identifier used on the label

Merivon® Fungicide

Recommended use of the chemical and restriction on use

Recommended use*: fungicide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Canada Inc.
100 Milverton Drive
Mississauga, ON L5R 4H1, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

CHEMTREC: 1-800-424-9300
BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Synonyms: fluxapyroxad + pyraclostrobin

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Hazards not otherwise classified

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one

According to Controlled Products Regulations (CPR) (SOR/88-66)

Emergency overview

DANGER:

Safety Data Sheet

Merivon® Fungicide

Revision date : 2018/12/06
Version: 2.0

Page: 2/10
(30765395/SDS_CPA_CA/EN)

POISON.
CAUTION:
Skin Irritant
Contains 1,2-benzisothiazolin-3-one as a preservative.
Contains 2-bromo-2-nitropropane-1,3-diol as a preservative.
KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.
Avoid contact with the skin, eyes and clothing.
Wash thoroughly after handling.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
175013-18-0	21.26 %	Pyraclostrobin
907204-31-3	21.26 %	Fluxapyroxad
108-88-3	< 1.0%	Toluene

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Safety Data Sheet

Merivon® Fungicide

Revision date : 2018/12/06
Version: 2.0

Page: 3/10
(30765395/SDS_CPA_CA/EN)

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:
water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, nitrogen oxides, chlorides, organochloric compounds, halogenated hydrocarbons
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

Ensure adequate ventilation. Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Safety Data Sheet

Merivon® Fungicide

Revision date : 2018/12/06
Version: 2.0

Page: 4/10
(30765395/SDS_CPA_CA/EN)

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: 0 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

No occupational exposure limits known.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

Safety Data Sheet

Merivon® Fungicide

Revision date : 2018/12/06
Version: 2.0

Page: 5/10
(30765395/SDS_CPA_CA/EN)

9. Physical and Chemical Properties

Form:	suspension	
Odour:	faint odour, fruity	
Odour threshold:	Not determined since harmful by inhalation.	
Colour:	beige	
pH value:	approx. 6 - 8 (1 %(m), 20 °C)	(pH Meter)
crystallization temperature:	approx. -6.7 °C	
Boiling point:	approx. 100 °C	
Flash point:	No flash point - Measurement made up to the boiling point.	
Flammability:	not highly flammable	(Directive 92/69/EEC, A.12)
Autoignition:	517 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	approx. 23 hPa (20 °C)	
Density:	Information applies to the solvent. approx. 1.18 g/cm ³ (20 °C)	(OECD Guideline 109)
Vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Thermal decomposition:	carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, To be archived: Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature, toxic vapours will be released.	
Viscosity, dynamic:	approx. 50 mPa.s (20 °C)	(OECD 114)
Solubility in water:	dispersible	
Evaporation rate:	not applicable	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating (Directive 2004/73/EC, A.21)

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage.

Incompatible materials

strong oxidizing agents, strong bases, strong acids

Safety Data Sheet

Merivon® Fungicide

Revision date : 2018/12/06
Version: 2.0

Page: 6/10
(30765395/SDS_CPA_CA/EN)

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, To be archived: Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature, toxic vapours will be released.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Moderately toxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Oral

Type of value: LD50

Species: rat (female)

Value: > 50 - < 300 mg/kg (OECD Guideline 423)

Inhalation

Type of value: LC50

Species: rat (female)

Value: 2.81 mg/l (OECD Guideline 403)

Exposure time: 4 h

An aerosol was tested.

Dermal

Type of value: LD50

Species: rat (male/female)

Value: > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Assessment other acute effects

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. May cause moderate irritation to the skin.

Skin

Safety Data Sheet

Merivon® Fungicide

Revision date : 2018/12/06
Version: 2.0

Page: 7/10
(30765395/SDS_CPA_CA/EN)

Species: rabbit
Result: Irritant.
Method: OECD Guideline 404

Eye

Species: rabbit
Result: non-irritant
Method: OECD Guideline 405

Sensitization

Buehler test
Species: guinea pig
Result: Skin sensitizing effects were not observed in animal studies.
Method: OECD Guideline 406

Aspiration Hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fluxapyroxad (ISO); 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluorobiphenyl-2-yl)pyrazole-4-carboxamide

Assessment of repeated dose toxicity: Adaptive effects were observed after repeated exposure in animal studies.

Information on: Pyraclostrobin

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyraclostrobin

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

Information on: fluxapyroxad (ISO); 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluorobiphenyl-2-yl)pyrazole-4-carboxamide

Assessment of carcinogenicity: Indication of possible carcinogenic effect in animal tests.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Safety Data Sheet

Merivon® Fungicide

Revision date : 2018/12/06
Version: 2.0

Page: 8/10
(30765395/SDS_CPA_CA/EN)

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other Information

Misuse can be harmful to health.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., (Further) symptoms and / or effects are not known so far

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to fish. Very toxic (acute effect) to aquatic invertebrates. Acutely toxic for aquatic plants.

Toxicity to fish

LC50 (96 h) 0.032 mg/l, *Oncorhynchus mykiss* (OECD 203; ISO 7346; 92/69/EEC, C.1, static)

Aquatic invertebrates

EC50 (48 h) 0.068 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants

EC50 (72 h) 3.56 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

See product label for disposal and recycling instructions.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

TDG

Hazard class: 6.1

Packing group: III

Safety Data Sheet

Merivon® Fungicide

Revision date : 2018/12/06
Version: 2.0

Page: 9/10
(30765395/SDS_CPA_CA/EN)

ID number: UN 2902
Hazard label: 6.1, EHSM
Proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (contains PYRACLOSTROBIN)

Sea transport

IMDG

Hazard class: 6.1
Packing group: III
ID number: UN 2902
Hazard label: 6.1, EHSM
Marine pollutant: YES
Proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (contains PYRACLOSTROBIN)

Air transport

IATA/ICAO

Hazard class: 6.1
Packing group: III
ID number: UN 2902
Hazard label: 6.1
Proper shipping name: PESTICIDE, LIQUID, TOXIC, N.O.S. (contains PYRACLOSTROBIN)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical DSL, CA released; restriction on quantity / not listed

Crop Protection DSL, CA released / exempt

According to Controlled Products Regulations (CPR) (SOR/88-66)

Not WHMIS controlled.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations
SDS Prepared on: 2018/12/06

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Safety Data Sheet

Merivon® Fungicide

Revision date : 2018/12/06
Version: 2.0

Page: 10/10
(30765395/SDS_CPA_CA/EN)

Merivon® Fungicide is a registered trademark of BASF Canada or BASF SE
END OF DATA SHEET