

Pro Scape[®] LEBANON



FERTILIZER

20-0-25 expo

POTASSIUM SULFATE

GUARANTEED ANALYSIS

Total Nitrogen (N)	20%
6.5% Water Insoluble Nitrogen*	
3.0% Urea Nitrogen	
10.5% Other Water Soluble Nitrogen*	
Soluble Potash (K₂O)*	25%
Sulfur (S)	8.5%
8.5% Combined Sulfur (S)	
Derived From: Methylene Ureas, Urea, Sulfate of Potash.	
*17.0% Slowly available Nitrogen from Methylene Ureas.	
Chlorine (Cl) not more than	2.0%

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	20%
6.5% Water Insoluble Nitrogen*	
3.0% Urea Nitrogen	
10.5% Other Water Soluble Nitrogen*	
Soluble Potash (K₂O)	25%
Sulfur (S)	8.5%
8.5% Combined Sulfur (S)	
Chlorine (Cl) (maximum)	2.0%
Derived From: Methylene Ureas, Urea, Sulfate of Potash.	
*17.0% Slowly available Nitrogen from Methylene Ureas.	

Application Rates:
To feed at the rate of 1 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 4.0 lbs per 1,000 sq. ft. or 174 lbs. per acre. To feed at the rate of 0.6 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 2.4 lbs per 1,000 sq. ft. or 105 lbs. per acre.

SUGGESTED SPREADER SETTINGS		
Spreader	1#K ₂ O/1,000 sq. ft.	0.5# K ₂ O/1,000 sq. ft.
Lebanon Turf	4	3
Andersons AccuPro	J	F
Earthway Rotary	15	12
Gandy	25	23
Lely	5 II	3½ II
Lesco (letter/numeric)	i/16	F/12
PennMulch HVO	K	G
ProScape SS	K	G
Spyker	4	3
Vicon	23	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Hazard Statements
May be harmful if inhaled repeatedly over long time periods.

Precautionary Statements
Avoid breathing dust.
Seek medical attention if feeling unwell.
Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY


NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:
To apply at the rate of 0.48 kg K₂O/100 sq. meters. Equivalent to 1.9 kg of product per 100 sq. meters.

To apply at the rate of 0.29 kg K₂O/100 sq. meters. Equivalent to 1.1 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	0.48 kg K ₂ O /100 m ² .	0.29 kg K ₂ O /100 m ² .
Lebanon Turf	4	3
Andersons AccuPro	J	F
Earthway Rotary	15	12
Gandy	25	23
Lely	5 II	3½ II
Lesco (letter/numeric)	i/16	F/12
PennMulch HVO	K	G
ProScape SS	K	G
Spyker	4	3
Vicon	23	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699 **21-54241** i/15

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>
800-233-0628 • (717) 273-1685

EXPO[®], PennMulch[®] and ProScape[®] are registered trademarks of Lebanon Seaboard Corporation.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation
1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com
800-233-0628 • (717) 273-1685

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

NET WEIGHT **50** LBS. (22.7 KG)



FERTILIZER

20-0-25

expo

POTASSIUM SULFATE

GUARANTEED ANALYSIS

Total Nitrogen (N)	20%
6.5% Water Insoluble Nitrogen*	
3.0% Urea Nitrogen	
10.5% Other Water Soluble Nitrogen*	
Soluble Potash (K₂O)**	25%
Sulfur (S)	8.5%
8.5% Combined Sulfur (S)	
Derived From: Methylene Ureas, Urea, Sulfate of Potash.	
*17.0% Slowly available Nitrogen from Methylene Ureas.	
Chlorine (Cl) not more than	2.0%

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	20%
6.5% Water Insoluble Nitrogen*	
3.0% Urea Nitrogen	
10.5% Other Water Soluble Nitrogen*	
Soluble Potash (K₂O)	25%
Sulfur (S)	8.5%
8.5% Combined Sulfur (S)	
Chlorine (Cl) (maximum)	2.0%
Derived From: Methylene Ureas, Urea, Sulfate of Potash.	
*17.0% Slowly available Nitrogen from Methylene Ureas.	

Application Rates:

To feed at the rate of 1 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 4.0 lbs per 1,000 sq. ft. or 174 lbs. per acre. To feed at the rate of 0.6 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 2.4 lbs per 1,000 sq. ft. or 105 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	1#K ₂ O/1,000 sq. ft.	0.5# K ₂ O/1,000 sq. ft.
Lebanon Turf	4	3
Andersons AccuPro	J	F
Earthway Rotary	15	12
Gandy	25	23
Lely	5 II	3½ II
Lesco (letter/numeric)	i/16	F/12
PennMulch HVO	K	G
ProScape SS	K	G
Spyker	4	3
Vicon	23	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Hazard Statements

May be harmful if inhaled repeatedly over long time periods.

Precautionary Statements

Avoid breathing dust.
Seek medical attention if feeling unwell.
Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:


To apply at the rate of 0.48 kg K₂O/100 sq. meters. Equivalent to 1.9 kg of product per 100 sq. meters.

To apply at the rate of 0.29 kg K₂O/100 sq. meters. Equivalent to 1.1 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

Spreader	0.48 kg K ₂ O/100 m ² .	0.29 kg K ₂ O/100 m ² .
Lebanon Turf	4	3
Andersons AccuPro	J	F
Earthway Rotary	15	12
Gandy	25	23
Lely	5 II	3½ II
Lesco (letter/numeric)	i/16	F/12
PennMulch HVO	K	G
ProScape SS	K	G
Spyker	4	3
Vicon	23	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

21-54241

i/15

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

800-233-0628 • (717) 273-1685

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com

800-233-0628 • (717-273-1685)

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

NET WEIGHT 50 LBS. (22.7 KG)