

# Pro

# LEBANON Scape®



## FERTILIZER

# 20-0-25 expo

POTASSIUM  
SULFATE

### GUARANTEED ANALYSIS

**Total Nitrogen (N)** ..... 20%  
 6.5% Water Insoluble Nitrogen\*  
 3.0% Urea Nitrogen  
 10.5% Other Water Soluble Nitrogen\*  
**Soluble Potash (K<sub>2</sub>O)\*\*** ..... 25%  
 Sulfur (S) ..... 8.5%  
 8.5% Combined Sulfur (S)

**Derived From: Methylene Ureas, Urea, Sulfate of Potash.**

\*17.0% Slowly available Nitrogen from Methylene Ureas.  
 \*\* 7.5% Slow release Potash from Occluded Sulfate of Potash.

**Chlorine (Cl) not more than** ..... 2.0%

### GUARANTEED MINIMUM ANALYSIS

**Total Nitrogen (N)** ..... 20%  
 6.5% Water Insoluble Nitrogen\*  
 3.0% Urea Nitrogen  
 10.5% Other Water Soluble Nitrogen\*  
**Soluble Potash (K<sub>2</sub>O)\*\*** ..... 25%  
 Sulfur (S) ..... 8.5%  
 8.5% Combined Sulfur (S)

**Chlorine (Cl) (maximum)** ..... 2.0%

**Derived From: Methylene Ureas, Urea, Sulfate of Potash.**

\*17.0% Slowly available Nitrogen from Methylene Ureas.  
 \*\* 7.5% Slow release Potash from Occluded Sulfate of Potash.

**Application Rates:**  
 To feed at the rate of 1 lb. Potash (K<sub>2</sub>O) per 1,000 sq. ft., apply this product at 4.0 lbs per 1,000 sq. ft. or 174 lbs. per acre. To feed at the rate of 0.6 lb. Potash (K<sub>2</sub>O) per 1,000 sq. ft., apply this product at 2.4 lbs per 1,000 sq. ft. or 105 lbs. per acre.

SUGGESTED SPREADER SETTINGS		
Spreader	1# K <sub>2</sub> O/1,000 sq. ft.	0.6# K <sub>2</sub> O/1,000 sq. ft.
Lebanon Turf	4 3/4	4 1/2
Andersons AccuPro	M	G
Earthway Rotary	16	14
Gandy	28	26
Lely	6 II	4 1/2 II
Lesco (letter/numeric)	J/21	G/14
PennMulch HVO	N	K
ProScape SS	N	K
Spyker	4 3/4	4 1/2
Vicon	26	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

**Hazard Statements**  
 May be harmful if inhaled repeatedly over long time periods.

**Precautionary Statements**  
 Avoid breathing dust.  
 Seek medical attention if feeling unwell.  
 Dispose in accordance with all federal, state and local regulations.

### KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.


Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

**WARRANTY**  
 NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

**Application Rates:**  
 To apply at the rate of 0.48 kg Potash (K<sub>2</sub>O)/100 sq. meters. Equivalent to 1.9 kg of product per 100 sq. meters. To apply at the rate of 0.29 kg Potash (K<sub>2</sub>O)/100 sq. meters. Equivalent to 1.1 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	0.48 kg K <sub>2</sub> O/100 m <sup>2</sup> .	0.29 kg K <sub>2</sub> O/100 m <sup>2</sup> .
Lebanon Turf	4 3/4	4 1/2
Andersons AccuPro	M	G
Earthway Rotary	16	14
Gandy	28	26
Lely	6 II	4 1/2 II
Lesco (letter/numeric)	J/21	G/14
PennMulch HVO	N	K
ProScape SS	N	K
Spyker	4 3/4	4 1/2
Vicon	26	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699 **21-54242** i/15

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>  
 800-233-0628 • (717) 273-1685

EXPO®, PennMulch® and ProScape® are registered trademarks of Lebanon Seaboard Corporation.

### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

Manufactured by:

**Lebanon Seaboard Corporation**  
 1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

[www.LebanonTurf.com](http://www.LebanonTurf.com)  
 800-233-0628 • (717-273-1685)

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

NET WEIGHT **50** LBS. (22.7 KG)



# FERTILIZER

# 20-0-25

## expo

**POTASSIUM  
SULFATE**

### GUARANTEED ANALYSIS

<b>Total Nitrogen (N)</b> .....	<b>20%</b>
6.5% Water Insoluble Nitrogen*	
3.0% Urea Nitrogen	
10.5% Other Water Soluble Nitrogen*	
<b>Soluble Potash (K<sub>2</sub>O)**</b> .....	<b>25%</b>
Sulfur (S) .....	8.5%
8.5% Combined Sulfur (S)	

**Derived From: Methylene Ureas, Urea, Sulfate of Potash.**

\*17.0% Slowly available Nitrogen from Methylene Ureas.

\*\* 7.5% Slow release Potash from Occluded Sulfate of Potash.

**Chlorine (Cl) not more than** ..... **2.0%**

### GUARANTEED MINIMUM ANALYSIS

<b>Total Nitrogen (N)</b> .....	<b>20%</b>
6.5% Water Insoluble Nitrogen*	
3.0% Urea Nitrogen	
10.5% Other Water Soluble Nitrogen*	
<b>Soluble Potash (K<sub>2</sub>O)**</b> .....	<b>25%</b>
Sulfur (S) .....	8.5%
8.5% Combined Sulfur (S)	

**Chlorine (Cl) (maximum)** ..... **2.0%**

**Derived From: Methylene Ureas, Urea, Sulfate of Potash.**

\*17.0% Slowly available Nitrogen from Methylene Ureas.

\*\* 7.5% Slow release Potash from Occluded Sulfate of Potash.

#### Application Rates:

To feed at the rate of 1 lb. Potash (K<sub>2</sub>O) per 1,000 sq. ft., apply this product at 4.0 lbs per 1,000 sq. ft. or 174 lbs. per acre. To feed at the rate of 0.6 lb. Potash (K<sub>2</sub>O) per 1,000 sq. ft., apply this product at 2.4 lbs per 1,000 sq. ft. or 105 lbs. per acre.

#### SUGGESTED SPREADER SETTINGS

Spreader	1# K <sub>2</sub> O/1,000 sq. ft.	0.6# K <sub>2</sub> O /1,000 sq. ft.
Lebanon Turf	4¾	4½
Andersons AccuPro	M	G
Earthway Rotary	16	14
Gandy	28	26
Lely	6 II	4½ II
Lesco (letter/numeric)	J/21	G/14
PennMulch HVO	N	K
ProScape SS	N	K
Spyker	4¾	4½
Vicon	26	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

#### Hazard Statements

May be harmful if inhaled repeatedly over long time periods.

#### Precautionary Statements

Avoid breathing dust.  
Seek medical attention if feeling unwell.  
Dispose in accordance with all federal, state and local regulations.

### KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

#### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

#### Application Rates:

To apply at the rate of 0.48 kg Potash (K<sub>2</sub>O)/100 sq. meters. Equivalent to 1.9 kg of product per 100 sq. meters. To apply at the rate of 0.29 kg Potash (K<sub>2</sub>O)/100 sq. meters. Equivalent to 1.1 kg of product per 100 sq. meters.

#### SUGGESTED SPREADER SETTINGS

Spreader	0.48 kg K <sub>2</sub> O/100 m <sup>2</sup> .	0.29 kg K <sub>2</sub> O/100 m <sup>2</sup> .
Lebanon Turf	4¾	4½
Andersons AccuPro	M	G
Earthway Rotary	16	14
Gandy	28	26
Lely	6 II	4½ II
Lesco (letter/numeric)	J/21	G/14
PennMulch HVO	N	K
ProScape SS	N	K
Spyker	4¾	4½
Vicon	26	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

**21-54242** i/15

Information regarding the contents and levels of metals in this product is available on the Internet at:  
<http://www.regulatory-info-lebsea.com>

800-233-0628 • (717) 273-1685



For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

Manufactured by:

**Lebanon Seaboard Corporation**

**1600 E. Cumberland St. • Lebanon, PA 17042**

**Made in the U.S.A.**

**[www.LebanonTurf.com](http://www.LebanonTurf.com)**

**800-233-0628 • (717-273-1685)**

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

**NET WEIGHT 50 LBS. (22.7 KG)**