

Application Instructions

Spray 4 times pre-flowering starting when the first leaf is visible and 4 times after flowering. Application rate is 5 oz Siliforce mixed in 50-60 gallons water per acre. If more water is used, keep the same dosage.

Mixing instructions: No premixing. First add water, then Siliforce. Mix well then add remaining fertilizers and additives. Spray within 4-8 hrs maximum.

Guaranteed Analysis

Soluble Potash (K2O)	0.600%
Boron (B)	0.100%
Copper (Cu)	1.000%
Molybdenum (Mo)	0.001%
Zinc (Zn)	0.400%

Derived From

Potassium Silicate	Boric Acid
Copper Chloride	Sodium Molybdate
Zinc Chloride	

Also contains nonplant food ingredient 0.08% Monosilicic Acid from Potassium Silicate

Warnings

Product containing boron (B) should be used according to directions. Use on any crop other than recommended may result in serious injury to that crop.

Application of fertilizing materials containing molybdenum (Mo) may result in forage crops containing levels of molybdenum which are toxic to ruminant animals.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>

Keep out of reach of children. Store at temperature between 45° F & 85° F. Keep in original packaging.

Guaranteed By

Agro Solutions USA, LLC
17831 Sky Park Circle, Ste 12C Irvine, CA 92614




Si **SILIFORCE**

0-0-06

2.31 lbs (1.05 kg)
33.8 oz (1 liter)