



The Chemical Company

# Beneficial Nematodes

## Treatment Guide

# Beneficial Nematodes Biological Pest Control

## Nemasys®

Biocontrol for Western Flower Thrips and Fungus Gnats

**Nematode species:** *Steinernema feltiae*

**Activity:** 54-86 °F (12-30 °C)

### Pests Controlled

- Fungus Gnat (*Bradysia* spp.)
- Western Flower Thrips (*Frankliniella occidentalis*)

### Pests Suppressed

- Leatherjacket (*Tipula paludosa*)

## Nemasys® G

Advanced Biocontrol for White Grubs

**Nematode species:** *Heterorhabditis bacteriophora*

**Activity:** 57-86 °F (14-30 °C)

### Pests Controlled

- European Chafer Grub (*Rhizotrogus majalis*)
- Japanese Beetle Grub (*Popillia japonica*)
- Oriental Beetle Grub (*Exomala orientalis*)

## Nemasys® L

Biocontrol for Black Vine Weevil

**Nematode species:** *Steinernema kraussei*

**Activity:** 41-86 °F (5-30 °C)

### Pests Controlled

- Black Vine Weevil (*Otiorhynchus sulcatus*)

## Nematac® C

Advanced Biocontrol for Cranberry Girdler

**Nematode species:** *Steinernema carpocapsae*

**Activity:** 57-86 °F (14-30 °C)

### Pests Controlled

- Black Vine Weevil (*Otiorhynchus sulcatus*)
- Cranberry Girdler (*Chrysoteuchia topiaria*)

## Millenium®

Biocontrol for Ground-Dwelling Insects and Borers

**Nematode species:** *Steinernema carpocapsae*

**Activity:** 54-86 °F (12-30 °C)

### Pests Controlled

- Annual Bluegrass Weevil (*Listronotus maculicollis*)
- Armyworm (*Noctuidae*)
- Banana Moth (*Opogona* spp.)
- Billbug (*Sphenophorus* spp.)
- Black Vine Weevil (*Otiorhynchus sulcatus*)
- Chinch Bug (*Blissus* spp.)
- Clearwing Borer (*Sesiidae*)
- Codling Moth (*Cydia pomonella*)
- Cranberry Girdler (*Chrysoteuchia topiaria*)
- Cutworms (*Noctuidae*)
- Dogwood Borer (*Sesiidae*)
- Flea Larvae, Pupae (*Ctenocephalides felis, canis*)
- Giant Palmetto Weevil (*Rhynchophorus cruentatus*)
- Mint Flea Beetle (*Longitarsus waterhousei*)
- Mint Root Borer (*Fumibotys fumalis*)
- Navel Orange Worm (*Ameylois transitiella*)
- Peachtree Borer (*Sesiidae*)
- Root Weevils (*Otiorhynchus* spp.)
- Rotten Sugarcane Borer (*Metamasius hemipterus*)
- Shore Flies (*Ephydriidae*)
- Sod Webworm (*Pyralidae*)
- Strawberry Root Weevil (*Otiorhynchus ovatus*)
- Tropical Sod Webworm (*Herpetogramma phaeopteralis*)

Always read and follow label directions.

© 2013 BASF Corporation. All rights reserved. Nemasys, Millenium and Nematac are registered trademarks of BASF. APN 13-BU-T0-005

[betterplants.basf.us](http://betterplants.basf.us)  
[twitter.com/BASFPlants\\_us](https://twitter.com/BASFPlants_us)  
888-566-5506